

# Workflow As Data-Transition Driven, Scriptable State Machines

## FIELD OF THE INVENTION

This invention relates generally to information systems and more particularly to a  
5 computing workflow system having process definition represented in a workflow table.

## COPYRIGHT NOTICE/PERMISSION

A portion of the disclosure of this patent document contains material that is subject to  
copyright protection. The copyright client has no objection to the facsimile reproduction by  
anyone of the patent document or the patent disclosure as it appears in the Patent and  
10 Trademark Office patent file or records, but otherwise reserves all copyright rights  
whatsoever. The following notice applies to the software and data as described below and in  
the drawing hereto: Copyright © 1999, Microsoft Corporation, All Rights Reserved.

## BACKGROUND

15 Workflow processes can be described as a sequence of steps/events resulting in an end  
solution or product. Some of the steps in the process may involve different parties who play  
specific roles or provide specific contributions. Each step in the workflow process is  
generally connected somehow with other steps involved in the process. Some steps may  
require that specific conditions be met or that other steps have previously been completed.  
20 One example of a workflow process includes an assembly line in a factory. In this model  
each component to the end product is designed to be added to the product at a pre-planned  
stage. Adding the component at an earlier step may just not make logical sense, or may even  
interfere with the addition of a later component. Therefore the addition of each component  
must be coordinated in a sequence of steps that is controlled and which does make sense.  
25 Another everyday example of a workflow process includes making a loan application to a  
bank. The loan application is submitted to the loan officer and becomes a pending  
application. Next are a series of conditions which must be met as part of the loan approval

process. The conditions include credit checks, income level and so forth compared with the requested loan amount. After initial conditions are met, the loan approval process still requires additional authorization from other parties, such as a loan manager. A loan can only reach an approved state after all of these workflow steps have been completed.

5 In the age of software, a workflow process can be run by a computer executing a program containing the rules, defined in computer code, for carrying out the steps in the workflow process. These software programs include finite state machines which execute the steps of a workflow process in their pre-planned order. In modern automation, organizational workflow process is classically implemented using computer forms, computer databases, and  
10 a multi-tier architecture with relevant computer code running in several locations. The problem with this current method is that the rules, or computer code, for performing the different steps in the workflow process are scattered in multiple locations. The workflow process is thus hindered by the need to locate the appropriate code for a given step and coordinate that computer code's execution with computer code for other steps located in still  
15 other places. Under the current system, complex processes requiring a large number of steps are difficult to implement. In some systems the computer code for a single workflow step may be spread among several locations. Therefore, an enormous degree of coherency is lacking. Data may be changed in one place without updating the data records held in another place. Thus different parties with access to the system may in fact see different snap shots of  
20 the workflow process in the same instance of time (instance is also a computer code term).

Permissions to execute changes to the data may similarly not be enforced to the extent intended in the workflow processes design. Thus, security and data integrity is usually not guaranteed. Additionally, the scattered nature of the workflow process computer code makes maintaining the system, or even updating the system to account for new parameters, more  
25 difficult and frustrating. And, to do so often requires costly, new application program interfaces (apis) and private extensions in order tie together clients, middle tiers of the workflow process, and end databases in the workflow process such as in servers.

## SUMMARY

This present invention solves the above described problems associated with workflow. The definition of a state transition diagram is stored in a SQL table called the workflow table. The workflow table is part of an extended database schema operating with an extended store, a workflow engine and a script engine. Each row of the workflow table represents a workflow step. The workflow table includes workflow rules and associated code to be executed by the workflow engine. Script functions are defined to evaluate the condition and to execute the action of each workflow step. The rules and associated code in the workflow table is both declarative and procedural. The workflow engine compares data change information from an extended store procedure with the workflow definition in the workflow table and determines the appropriate step that needs to be executed. Then the workflow engine checks execution permissions on that step. If execute permission is granted, the workflow engine evaluates the workflow step condition against the workflow table and, if true, it executes the step action. Upon completing the step action, the workflow engine commits all the changes made to the current item or to other items in the database.

In one aspect of, the present invention includes a workflow system. The workflow system includes a server database having a data table and an associated workflow table. A workflow extended store is communicatively coupled to the server database. A workflow engine is communicatively coupled to the server database and to the workflow extended store. A script engine communicatively coupled to the workflow engine. The workflow table contains the rules and associated code to be executed by the workflow engine. The workflow engine compares the data change information with the workflow definition in the workflow table.

In the present invention, process definition is kept in the database in one place where tools can access it. This allows a vast body of research and tools development (esp. in the process control industry, e.g. StateCharts) pertaining to state machine composition and decomposition, as well as parallel operation, to be applied when addressing complex processes.

By defining the organizational process computing model on server data transitions, the formal organization process computing model can be implemented without perturbing existing data access and communication paths, eliminating the need for new and private api's that cause costly upgrades. Security is provided by the Windows NT operating system and SQL running in integrated security mode. Data integrity, enforced natively by the database engine, is thus guaranteed.

### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a block diagram of the hardware and operating environment of a suitable computer in conjunction with which embodiments of the invention may be practiced.

Figure 2 is a block diagram of a workflow architecture according to the teachings of the present invention.

Figure 3 is a workflow events diagram according to the teachings of the present.

Figure 4 is a table showing the database operation, and a description, for each of the workflow events presented in connection with Figure 3.

Figure 5 is a chart illustrating the main status fields, together with their associated descriptions, of a workflow table according to the teachings of the present invention.

Figure 6 is a state transition diagram for a loan application workflow process.

Figure 7 is a workflow table for the loan application workflow process of Figure 6, according to the teachings of the present invention.

Figure 8 illustrates, in flow diagram form, an embodiment of a method for a workflow process according to the teachings of the present invention.

### DETAILED DESCRIPTION

In the following detailed description of exemplary embodiments of the invention, reference is made to the accompanying drawings that form a part hereof and, which show by

way of illustration, specific exemplary embodiments in which the invention may be practiced. These embodiments are described in sufficient detail to enable those skilled in the art to practice the invention. It is to be understood that other embodiments may be utilized and that logical, mechanical, electrical and other changes may be made without departing from the spirit or scope of the present invention. The following detailed description is, therefore, not to be taken in a limiting sense, and the scope of the present invention is defined only by the appended claims.

The detailed description is divided into three sections. The first section describes the hardware and the operating environment that is suitable for use as a server within the inventive storage system described below. The second section provides a detailed description of the novel workflow process system and provides methods for operating embodiment of the invention. Finally, the third section provides a conclusion of the detailed description.

#### Hardware and Operating Environment

Figure 1 provides a brief, general description of a suitable computing environment in which the invention may be implemented. The invention will hereinafter be described in the general context of computer-executable program modules containing instructions executed by a personal computer (PC). Program modules include routines, programs, objects, components, data structures, etc. that perform particular tasks or implement particular abstract data types. Those skilled in the art will appreciate that the invention may be practiced with other computer-system configurations, including hand-held devices, multiprocessor systems, microprocessor-based programmable consumer electronics, network PCs, minicomputers, mainframe computers, and the like which have multimedia capabilities. The invention may also be practiced in distributed computing environments where tasks are performed by remote processing devices linked through a communications network. In a distributed computing environment, program modules may be located in both local and remote memory storage devices.

Figure 1 shows a general-purpose computing device in the form of a conventional personal computer 20, which includes processing unit 21, system memory 22, and system bus 23 that couples the system memory and other system components to processing unit 21. System bus 23 may be any of several types, including a memory bus or memory controller, a peripheral bus, and a local bus, and may use any of a variety of bus structures. System memory 22 includes read-only memory (ROM) 24 and random-access memory (RAM) 25. A basic input/output system (BIOS) 26, stored in ROM 24, contains the basic routines that transfer information between components of personal computer 20. BIOS 26 also contains start-up routines for the system. Personal computer 20 further includes hard disk drive 27 for reading from and writing to a hard disk (not shown), magnetic disk drive 28 for reading from and writing to a removable magnetic disk 29, and optical disk drive 30 for reading from and writing to a removable optical disk 31 such as a CD-ROM or other optical medium. Hard disk drive 27, magnetic disk drive 28, and optical disk drive 30 are connected to system bus 23 by a hard-disk drive interface 32, a magnetic-disk drive interface 33, and an optical-drive interface 34, respectively. The drives and their associated computer-readable media provide nonvolatile storage of computer-readable instructions, data structures, program modules and other data for personal computer 20. Although the exemplary environment described herein employs a hard disk, a removable magnetic disk 29 and a removable optical disk 31, those skilled in the art will appreciate that other types of computer-readable media which can store data accessible by a computer may also be used in the exemplary operating environment. Such media may include magnetic cassettes, flash-memory cards, digital versatile disks, Bernoulli cartridges, RAMs, ROMs, and the like.

Program modules may be stored on the hard disk, magnetic disk 29, optical disk 31, ROM 24 and RAM 25. Program modules may include operating system 35, one or more application programs 36, other program modules 37, and program data 38. A user may enter commands and information into personal computer 20 through input devices such as a keyboard 40 and a pointing device 42. Other input devices (not shown) may include a microphone, joystick, game pad, satellite dish, scanner, or the like. These and other input devices are often connected to the processing unit 21 through a serial-port interface 46

coupled to system bus 23; but they may be connected through other interfaces not shown in Figure 1, such as a parallel port, a game port, or a universal serial bus (USB). A monitor 47 or other display device also connects to system bus 23 via an interface such as a video adapter 48. In addition to the monitor, personal computers typically include other peripheral output devices (not shown) such as speakers and printers. In one embodiment, one or more speakers 57 or other audio output transducers are driven by sound adapter 56 connected to system bus 23.

Personal computer 20 may operate in a networked environment using logical connections to one or more remote computers such as remote computer 49. Remote computer 49 may be another personal computer, a server, a router, a network PC, a peer device, or other common network node. It typically includes many or all of the components described above in connection with personal computer 20; however, only a storage device 50 is illustrated in Figure 1. The logical connections depicted in Figure 1 include local-area network (LAN) 51 and a wide-area network (WAN) 52. Such networking environments are commonplace in offices, enterprise-wide computer networks, intranets and the Internet.

When placed in a LAN networking environment, PC 20 connects to local network 51 through a network interface or adapter 53. When used in a WAN networking environment such as the Internet, PC 20 typically includes modem 54 or other means for establishing communications over network 52. Modem 54 may be internal or external to PC 20, and connects to system bus 23 via serial-port interface 46. In a networked environment, program modules, such as those comprising Microsoft® Word which are depicted as residing within 20 or portions thereof may be stored in remote storage device 50. Of course, the network connections shown are illustrative, and other means of establishing a communications link between the computers may be substituted.

Software may be designed using many different methods, including object oriented programming methods. C++ and Java are two examples of common object oriented computer programming languages that provide functionality associated with object oriented programming. Object oriented programming methods provide a means to encapsulate data members (variables) and member functions (methods) that operate on that data into a single

entity called a class. Object oriented programming methods also provide a means to create new classes based on existing classes.

An object is an instance of a class. The data members of an object are attributes that are stored inside the computer memory, and the methods are executable computer code that act upon this data, along with potentially providing other services. The notion of an object is exploited in the present invention in that certain aspects of the invention are implemented as objects in one embodiment.

An interface is a group of related functions that are organized into a named unit. Each interface may be uniquely identified by some identifier. Interfaces have no instantiation, that is, an interface is a definition only without the executable code needed to implement the methods which are specified by the interface. An object may support an interface by providing executable code for the methods specified by the interface. The executable code supplied by the object must comply with the definitions specified by the interface. The object may also provide additional methods. Those skilled in the art will recognize that interfaces are not limited to use in or by an object oriented programming environment.

### System Level Overview

A workflow process is made up of a sequence of state transitions which can be modeled in a state transition diagram. An example of a state transition diagram for a typical loan application process is shown in Figure 6. In the loan application scenario, examples of state transitions include adding a loan application to a pending state, moving the loan application along to the approval state, or alternatively moving the loan application to a rejected state. Each state transition may require one or many workflow steps. Again in the loan scenario, the steps required for moving the loan application from the pending state to an approved state or rejected state may include checking the credit history of the loan applicant, assessing the amount of the loan request, and verifying the income level of the loan applicant. Each workflow step is triggered by a workflow event.



Thus, a novel workflow architecture has been developed which works with data stored in SQL databases or any database comprising a rich event model. The definition of a state transition diagram is stored in a SQL table called the workflow table. The workflow table is part of an extended database schema operating with an extended store, a workflow engine and a script engine. Each row of the workflow table represents a workflow step and holds all the information necessary to complete the step. The workflow table includes workflow rules and associated code to be executed by the workflow engine. Script functions are defined to evaluate the condition and to execute the action of each workflow step. The rules and associated code in the workflow table is both declarative and procedural. The workflow engine compares data change information from an extended store procedure with the workflow definition in the workflow table and determines the appropriate step that needs to be executed. Then the workflow engine checks execution permissions on that step. If execute permission is granted, the workflow engine evaluates the workflow step condition against the workflow table and, if true, it executes the step action. Upon completing the step action, the workflow engine commits all the changes made to the current item or to other items in the database.

The workflow architecture provides a more efficient method for tracking workflow process applications in that all of the logic or process definition, which controls the workflow, is contained in one unique location where tools can access it.

Figure 2 illustrates the novel workflow architecture according to the teachings of the present invention. As shown in Figure 2, the workflow architecture includes a workflow client 210 that is communicatively coupled to a server database 212, e.g. an SQL server database 212. Throughout this application, components which are communicatively coupled are linked via hardwired electronic circuitry or wireless systems, including both physical and logical connections, suitable for transmitting electronic data between the two components. The components themselves generally include application program interfaces which define how the components will communicate electronic data between one another. The server database 212 includes a data table 214 that is workflow enabled. Each time data is to be modified in the data table 214, the data table 214 calls workflow triggers 216 which are

defined in the data table 214. The triggers 216 are communicatively coupled to a workflow extended store 218. The triggers 216 analyze the data change information and then invoke an appropriate extended store procedure from the workflow extended store 218.

A workflow table 220 associated with the workflow enabled data table 214 is included in the SQL server database 212. The workflow table 220 is communicatively coupled to a workflow engine 222 as is the data table 214. The workflow table 220 includes workflow rules and associated code to be executed by the workflow engine 222. Each time data is to be modified in the data table 214, a copy of the workflow table 220 is loaded into the workflow engine 222. In one embodiment, the workflow engine 222 is implemented as a COM component and can run both in-process and out-of-process with the server 212.

The workflow extended store 218 is also communicatively coupled to the workflow engine 222. When the triggers 216 invoke an extended store procedure in the workflow extended store 218, the extended store procedure calls the workflow engine 222. The extended store procedure also creates a session object that is available in scripting code in order to provide run time context information to the workflow engine 222.

The workflow engine 222 is communicatively coupled to a script engine 224. The workflow engine 222 invokes the script engine 224 and compares the data change information with the workflow definition contained in the copy of the workflow table 220 that has been loaded into the workflow engine 222. The workflow engine 222 determines the appropriate step that needs to be executed. Then the workflow engine 222 checks execution permissions on that step. If execute permission is granted, the workflow engine 222 evaluates the step condition and, if true, executes the step action. Both the condition and action are defined by script functions. As an example of this embodiment, the script functions can be written in VBScript™ or JavaScript™. The script functions are executed by the script engine 224 once invoked by the workflow engine 222. Upon completing the step action, the workflow engine 222 commits all the changes made to the current item or to other items in the data table 214.

The server database 212 further includes a timeout agent 226 which is implemented as a SQL job. The timeout agent 226 is scheduled to run with a frequency defined by a server

administrator. The timeout agent 226 scans all the databases on the server 212 and executes timeout workflow events as due. The timeout agent 226 is communicatively coupled to both the data table 214 and the workflow engine 222. For timeout events that define a state transition, the timeout agent 226 performs the update in the data table 214 and triggers an associated workflow action in the workflow engine 222.

### Workflow Events

Figure 3 is an embodiment of an events diagram 300 according to the teachings of the present invention. According to the present invention, there are three types of workflow events; state events, transition events, and timeout events. Each type of event is represented in Figure 3. In Figure 3, the state events include; On Create 310, On Delete 320, On Change 330, On Enter 340, and On Exit 350. In Figure 3, the transition event is shown as 360 between STATE 1 and STATE 2. The timeout event is represented at 370.

State events are associated with a single workflow state. State events are executed every time the event associated with a state is triggered. The firing of those events depends on how a state is entered or exited. State-bound events are transition-agnostic, i.e. they don't depend on where the workflow is coming from or what state it is going to. State events do not call each other.

Transition events are associated with a change from a current state to a new state. The current state and the next state are included in the definition of a workflow step. The transition event is executed upon a requested state transition when the current and the new workflow state match the definition of one of the workflow steps. Transition-bound events are the primary way to implement the state transition diagram.

Timeout events are associated with a timeout job produced by the timeout agent described in Figure 2. The timeout event can be either a state event or a transition event. The timeout event is triggered by the timeout job.

Figure 4 is a workflow event table 400 illustrating each of the above described workflow events, the associated database operation, and its description. As shown in Figure

4, the On Create 410 event is associated with the Insert database operation. This operation is executed once per workflow instance, when the instance is created. The On Delete 420 event is associated with the Delete database operation. This operation is executed once per workflow item when the instance is deleted. The On Change 430 event is associated with the Update database operation. This operation is executed upon changing item fields while the status field remains unchanged. On Enter 440 is similarly associated with the Update database operation. This operation is executed upon entering a given workflow state. According to the teachings of the present invention, the status field on the client of Figure 2 changes from Any to State. On Exit 450 is also associated with the Update database operation. This operation executed upon leaving the current workflow state. According to the teachings of the present invention, the status field on the client of Figure 2 changes from State to Any.

The On Transition 460 event is associated with the Update database operation. Here, the Update database operation is executed when the state value changes. Lastly, the On Timeout 470 event is associated with the Update database operation. This operation is executed at a scheduled frequency defined by a server administrator and controlled by the timeout agent, as described in connection with Figure 2. For timeout events that define a state transition, the timeout agent performs the update in the data table and triggers the associated workflow action.

Figure 5 is an illustration of an embodiment of the main status fields of a workflow table with their associated descriptions 500. For each data table that needs to be workflow-enabled an associated workflow table is defined to enforce the integrity of data changes. An application may have many workflow tables, one for each workflow enabled data table. The workflow table contains rules and associated code to be executed by a workflow engine, as shown and described in detail in connection with Figure 2. A status column in the data table of the server shown in Figure 2 holds workflow states. The status column drives the workflow process for that particular data table. The values in the status column (i.e., the workflow states) come from a finite set of values, usually defined by a lookup table. All the relationships between data tables, workflow tables, status columns and lookups are stored in a

couple of extended schema tables created for a particular application which extend the SQL system tables with workflow information.

As explained in connection with Figure 2, input to a workflow client creates client events which may request data changes to a data table in a server. The workflow for a particular application is driven by these client events. Every time a data change to the data table is requested, the workflow engine is invoked to enforce transition rules. The rules that govern data changes can be specified in both declarative and procedural form. The definition of a state transition diagram is stored in a SQL table called the workflow table 500. Each row of the workflow table represents a workflow step. Script functions are defined to evaluate the condition and to execute the action of each workflow step. The dual representation of these rules as declarative and procedural combines an ease of workflow definitions with the power of scriptable actions.

As stated, Figure 5 is an embodiment illustrating the status fields of a workflow table and their associated description 500 as part of a workflow process according to the teachings of the present invention. According to Figure 5, the status fields of a workflow table include a first status field, ID 510. Here, a unique identifier for a given workflow action in a workflow process is received. The ID status field 510 can be used to detect loops in the workflow process.

The status fields in the workflow table include a second status field, Name status field 520. The Name status field receives 520 receives the name for the workflow action. In this manner, the name can be used as a button label on a form print-out. A State status field is included at 530 as a third status field. For state workflow steps, the State status field 530 holds the state name. For transition workflow steps, the State status field holds the initial state of the transition. A NextState status field 540 is included as a fourth status field. For state workflow steps, the NextState status field 540 holds the state event name or NULL for state-bound workflow steps. For transition workflow steps, the NextState status field 540 holds the final state of the transition. When the database operation associated with the state event is Insert or Update the new value for the NextState status field submitted on the client must match the value presently held in the NextState status field 540. When, the database

operation associated with the state event is Delete the NextState status field 540 is NULL. When the database operation is associated with an OnTimeout event, the NextState status field 540 should match the new value for the NextState status field 540 sent by the timeout agent located on the server.

5 An Event status field is provided at 550 as a fifth status field. The Event status field 550 holds the name of state-bound events as described above in detail in connection with Figure 4. Similarly, for transition bound steps, the Event status field 550 holds the On Transition event name. The workflow table 500 includes a Condition status field 560. The Condition status field 560 contains a script expression or function that evaluates to the  
10 workflow step condition to either True or False. The workflow operation succeeds or fails based on this return value. The function can be used to verify a complex condition. In example, the function can be used to check the status of sub-processes, or to check values of other status fields in the workflow table row. If no condition is required the Condition status field 560 is set to NULL.

15 Finally, an Action status field is provided at 570 as a seventh status field. The Action status field 570 holds a function which is executed if the condition in the above described Condition status field 560 is satisfied. The function in the Action status field 570 implements the actions that should take place during the current workflow step. The function should return either success or an error code. If no action is required the Action status field 570 is set  
20 to NULL.

Figure 6 illustrates an embodiment of a state transition diagram for a loan application workflow process according to the teachings of the present invention. As shown in Figure 6, a loan application is submitted at 610. The loan application then goes into a pending state at 620. The loan application can then be approved at 630 or rejected at 635, thus introducing a  
25 branch in the workflow process. If the loan application is approved it will go into an approved state shown at 640. If the loan application is rejected it will go into a reject state at 650. From reject state 650, the loan application can be resubmitted at 655, and thus return to the pending state 620, or the loan application can be denied at 660. If the loan application is denied it will go into a denied state at 670.

Figure 7 is an illustration of an associated workflow table 700 for the loan application workflow process of Figure 6. The workflow table 700 includes workflow rules and associated code to be executed by the workflow engine. The workflow engine compares the data change information with the workflow definition in the workflow table and determines the appropriate step that needs to be executed. Each row of the workflow table 700 represents a workflow step. The columns of the workflow table represent the main status fields for the workflow table 700. The workflow table 700 defines the valid state transitions for the example loan application workflow process. The workflow table 700 also defines permissions that control what can effect each transition. The workflow table 700 of Figure 7 provides an example of a simple, linear workflow process for the loan application workflow system.

At workflow step 710, a loan application is submitted as the workflow action. Here the workflow engine will have compared the data change information with the workflow definition in the workflow table to determine that the appropriate step for this workflow action is 710. Initially the State status field in the workflow table is NULL and the NextState status field holds the final state, here PENDING, for a transition workflow step. At this point a series of workflow events would take place including On Enter and On Exit in order to update the State status field in the workflow table 500 from NULL to a newly received state. If the new value received for the State status field matches the value of the NextState status field, e.g. PENDING, then an On Transition workflow event would occur to Update the database and change the State status field to PENDING. If the new value received for the State status field did not match the value of the NextState status field, then the function of the Action status field will return an error code.

At workflow step 720, an approve action request is received as the workflow action. Initially the State status field in the workflow table is PENDING and the NextState status field holds the final state, here APPROVED, for a transition workflow step. At this point a series of workflow events would again take place including On Enter and On Exit in order to update the State status field in the workflow table from PENDING to a newly received state. The workflow engine, having a copy of the workflow table and the extended store procedure,

operates in conjunction with the scripting engine, as described and explained in detail in connection with Figure 2. The workflow engine will use the script engine to evaluate the expressions and script functions defined in the workflow table to determine the appropriate step that needs to be executed. Thus, the workflow engine will compare the data change  
5 information with the workflow definitions contained in the workflow table. The workflow engine will use the workflow table to check execution permissions as part of a workflow step. As shown at 730, an execution permission is required from a loan officer as part of workflow step 720. In Figure 7, a condition is associated with the approve action request of workflow step 720. In this embodiment, a script expression or function requires that the loan request  
10 amount be equal to or less than \$100,000. If this workflow step condition is True, then the workflow engine proceeds to execute on the workflow step action. If the workflow step condition is False, then the workflow engine will return an error code and can use the workflow table to proceed to a reject workflow step, shown in Figure 7 at 740.

A number of workflow support functions are included as part of the workflow process  
15 of the present invention. These workflow support functions use the definitions in the workflow table and the extended store procedure in conjunction with the workflow engine and the scripting engine. The workflow support functions include a core set of functions that use the Session Object created by the extended store and implement a number of workflow process related tasks. As shown at 750, the workflow process related tasks can include  
20 sending mail, or email, to a submitter. Similarly, at 760, the workflow process related tasks can include sending mail, or email, to a loan officer.

As will be understood by one of ordinary skill in the art upon reading this disclosure, the other workflow steps, shown at 770 and 780 in the workflow table of Figure 7, operate in an analogous fashion to those described above in connection with workflow steps 710 and  
25 720.

Figure 8 illustrates, in flow diagram form, an embodiment of a method for a workflow process according to the teachings of the present invention. This method can be performed by the workflow system described above. The method constitutes computer programs made up of computer-executable instructions. Describing the methods by reference to a flowchart



enables one skilled in the art to develop such programs including such instructions to carry out the method on suitable computing systems from computer-readable media. In Figure 8, a data table is created in a server database at 810. A workflow table is created in the server database which is associated with the data table 820. The workflow table includes workflow rules and associated code to be executed by the workflow engine. Each row in the workflow table represents a workflow step. A data modification request is received by the data table in the server database 830. Server database triggers, defined in the data table, invoke a workflow extended store which is communicatively coupled to and invokes a workflow engine 840. The workflow engine receives a copy of the workflow table containing rules and associated codes for data modification request. The workflow engine then evaluates script conditions and permission contained in the workflow table using a script engine and executes actions for each workflow step 850. The script engine is communicatively coupled to and invoked by the workflow engine.

### Conclusion

A computing workflow system and methods have been described in which workflow process definition is contained in a workflow table as script functions. The workflow table is part of an extended database schema operating with an extended store, a workflow engine and a script engine.

By defining the organizational process computing model on server data transitions, the formal organization process computing model can be implemented without perturbing existing data access and communication paths, eliminating the need for new and private api's that cause costly upgrades. Security is provided by the Windows NT operating system and SQL running in integrated security mode. Data integrity, enforced natively by the database engine, is thus guaranteed.

Although specific embodiments have been illustrated and described herein, it will be appreciated by those of ordinary skill in the art that any arrangement which is calculated to achieve the same purpose may be substituted for the specific embodiments shown. This

application is intended to cover any adaptations or variations of the present invention.

Therefore, it is manifestly intended that this invention be limited only by the following claims and equivalents thereof.

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213  
2214  
2215  
2216  
2217  
2218  
2219  
2220  
2221  
2222  
2223  
2224  
2225  
2226  
2227  
2228  
2229  
2230  
2231  
2232  
2233